Kaizen
Chemical

"Always for better"

www.kaizenkimya.com



About Us

KAIZEN KIMYA Industry and Trade Limited Company is a 100% Turkish-owned company established in the Ankara Saraykent Industrial Zone.

We provide solutions across various product groups, including industrial technical maintenance products, concentrated cleaning and personal care products, kitchen and food hygiene products, and pool chemicals, with our expert team serving customers throughout Turkey.

KAIZEN KIMYA closely follows innovations and changes both domestically and internationally, with a strong sales team and R&D department dedicated to continuous improvement. Committed to contributing to national development and becoming the leading company in our sector, we move forward with determination under the principle of "KAIZEN." We produce environmentally friendly products to leave a greener and bluer world for future generations.

As KAIZEN KIMYA, we conduct one-on-one customer visits and demonstrations with our expert sales team, offering top-level service and solutions to factories, mines, hotels, hospitals, restaurants, municipalities, and other official institutions.

Our Mission & Vision

Mission: To be an exemplary company in our sector by prioritizing customer needs, continuously learning and improving, and providing accurate and high-quality products through our experienced sales team and R&D efforts.

Vision: As a Turkish chemical company, to be a leading and pioneering firm both domestically and internationally, representing our country with high-quality products and services while maintaining a strong brand value.

"For a Greener and Bluer Environment, Always for Better"

KAİZEN KİMYA SAN. TİC. LTD. ŞTİ.
Best Regards

OUR PRODUCTS GROUPS

TECHNICAL MAINTENANCE CHEMICALS 4-8

SURFACE CLEANING AND PROTECTION PRODUCTS 9-11

PERSONAL HYGIENE PRODUCTS 12-13

KITCHEN HYGIENE PRODUCTS 14-15

FOOD HYGIENE PRODUCTS 16-17

BACTERIAL AND ODOR NEUTRALIZATION 18

"Always for better"

Kaizen Chemical

KZ- SPR250

FOAMING GREASE AND DIRT REMOVER LIQUID

Description: A high-foaming product used for removing heavy grease and dirt. It effectively cleans grease and dirt on floors, workbenches, hoods, ovens, and machine surfaces, as well as factory epoxy flooring and PVC surfaces.

Dilution Ratio: 1/5 - 1/20

KZ- WL600

WELDING ANTI-SPATTER SPRAY

Description: Prevents welding spatter from sticking to surfaces. Ideal for black sheet and galvanized surfaces. Free from oil and silicone. Used as an anti-spatter spray before gas welding.

Dilution Ratio: 1/4 - 5

KZ - BR240

ALUMINUM COIL CLEANER

Description: An ideal cleaner for aluminum coils, electrostatic filters, radiators, and convectors. It removes grease and dirt layers that cause blockages and dissolves aluminum oxide to prevent heat transfer loss.

Dilution Ratio: 1/10 - 1/25

KZ - S210 EX

INDUSTRIAL WATER-BASED GREASE SOLVENT

Description: Specially formulated to dissolve dried and heavy oils and dirt. It effectively removes resin and organic residues, including carbon deposits. It delivers excellent results in machine and general cleaning. Safe for use on originally painted surfaces.

Dilution Ratio: 1/10 - 1/20

KZ- FLT500

CONTROLLED FOAMING LIMESCALE AND DEPOSIT REMOVER

Description: A powerful descaler that removes limescale deposits, which shorten the lifespan of machines and reduce efficiency. It enhances cooling quality by eliminating blockages in resistance heaters, pipelines, and spray lines. Its included inhibitors prevent system damage.

Dilution Ratio: 1/10 - 1/20

KZ- MYH55

PRE-PAINT OIL & RUST REMOVAL PHOSPHATING PRODUCT

Description: A special formula that easily removes oil, grease, dirt, and rust layers from metal surfaces. It chemically etches the metal in a controlled manner, preparing the surface for protective coating applications.

Dilution Ratio: 1/5 - 1/10

KZ - ELC01

ELECTRICAL PANEL AND CONTACTOR CLEANER

Description: Thanks to its special formula, it is used for cleaning electrical motors and components, electrical panels, and contactors, as well as for removing moisture from these surfaces. It is a non-flammable and insulating cleaner. It evaporates quickly on the surface and leaves no residue.

Dilution Ratio: Direct

KZ – ELC03

ELECTRICAL PANEL PROTECTOR

Description: ELC-03 is a product developed to protect electrical devices against moisture and dirt. It prevents arc formation and ensures electrical safety. No additional process is required after application.

Dilution Ratio: Direct

KZ – OTM19 SF

OIL AND DIRT REMOVER AUTOMATIC MACHINE PRODUCT

Description: Effectively cleans oil, dirt, and tire marks on all types of hard surfaces with the help of an automatic machine. It is foam-controlled and cleans without damaging epoxy and concrete surfaces.

Dilution Ratio: 1/30 - 1/50



KZ – ELC02 K

ELECTRONIC BOARD CLEANER

Description: Thanks to its special formula, it removes oil and dirt from electronic boards. It cleans without damaging the structure of the boards.

Dilution Ratio: Direct

KZ- SOLAR 2000

SOLAR PANEL CLEANER

Description: A special cleaner compatible with films that enhance solar panel output efficiency. It does not damage aluminum rails and mounting components. Effectively removes dust, bird droppings, pollen, plant residues, and other contaminants that reduce solar panel capacity. Does not contain solvents, phosphates, or chlorine. No

Dilution Ratio:
Regular use 1/50
For lime and residue 1/20-30
For heavy lime and deposits 1/10

KZ- CS400

HEAVY OIL, TAR, BITUMEN, AND WAX REMOVER

Description: KZ-CS400 is an ideal remover for diesel machines, fuel oil heaters, and cooler cleaning. It emulsifies and removes all types of stubborn organic dirt, grease, and inorganic stains from industrial machinery and vehicle engine blocks.

Dilution Ratio: 1/3 - 1/5

KZ - KT300 EX / Y

GARBAGE VEHICLE AND CONTAINER CLEANER

Description: KZ-KT300 EX / Y is a highly effective product for cleaning garbage trucks and waste containers. It is an oil-dissolving, foamy cleaner that can be safely used on painted surfaces, rubber, and plastic. Does not produce an irritating gas or odor during use. Certified by an independent organization for its environmental and antibacterial properties.

Dilution Ratio: 1/40 - 1/60

KZ - PW150

ALKALINE POWDER HOT DEGREASER

Description: Description: Used for degreasing and removing contaminants from metal surfaces before iron and zinc phosphate applications.

Dilution Ratio: %2 - %3

KZ- SOL06

PARTS CLEANING SOLVENT

Description: A strong degreaser designed for safe use in metal industries, including pre-paint cleaning, conveyor belt cleaning in the furniture industry, and spot removal in the textile sector. Available with an essential oil option. It is non-flammable and comes in different volatility variations.

Dilution Ratio: Direct

KZ - AP350 JEL

GEL PAINT REMOVER

Description: A suitable product for removing paint from all painted surfaces and parts where immersion methods are not applicable. It is applied with a brush and starts showing its effect within a few minutes. The dissolved paint is removed from the surface using pressurized water or a tool.

Dilution Ratio: Direct

SRR 250 SB

ANILOX ROLLER CLEANER

Description: Safely used for cleaning **ANILOX** rollers in printing systems. It does not damage the roller surface.

User-friendly, concentrated product. Suitable for manual spraying or use with Anilox cleaning machines.

Dilution Ratio: 1/3 - 1/5

KZ- SOL ORG

ADHESIVE REMOVER

Description: A volatile product with strong adhesive-dissolving properties. Safely used in the hygiene pad and baby diaper production industry, the furniture industry, edge band cleaning, and the textile industry for adhesive removal. It is non-flammable.

Dilution Ratio: 1/5 - 1/15

KZ - AP350 EX

LIQUID PAINT REMOVER

Description: KZ-AP350 EX is a solvent-based chemical that removes electrostatic and wet paint. It acts quickly by penetrating the pores of the paint, breaking and lifting it from the surface. The removed paint is separated from the solvent, allowing for long-term reuse of the product.

Dilution Ratio: Direct

KZ - AP350 DOUBLE

LIQUID PAINT REMOVER DOUBLE

Description: A two-component product. Its combination of alkaline and solvent-based liquids provides an effective solution. It penetrates the pores of the paint, destabilizing its structure and preventing sedimentation.

Product Usage: Double One (1 unit), Double Two (2-4 units) are mixed before use.

Dilution Ratio: Direct



ZEN - SHN100

CONCENTRATED TOILET AND BATHROOM CLEANER

Description: Suitable for use on surfaces such as sinks, bathtubs, tiles, faucets, and glass. Removes stubborn dirt and lime residues in a single application, providing shine.
Cleans without damaging grout lines. Does not oxidize or harm surfaces like chrome, nickel alloys, brass, and copper. Maintains pH balance, preventing microorganism formation.

Dilution Ratio: 1/5 - 1/10

ZEN - GNC60 – GNC 80

CONCENTRATED PERFUMED GENERAL CLEANER

Description: A concentrated general cleaning product with a long-lasting, fresh fragrance. Can be used for cleaning all hard, washable surfaces. Leaves no residue or streaks and provides a lasting shine. Available in different fragrance options.

Dilution Ratio: 1-2 measures per cleaning bucket

ZEN - AIR

AIR CONDITIONER AND ODOR REMOVER

Description: A non-aerosol, sprayable air conditioner. Effectively eliminates unwanted odors such as cigarette smoke, mold, and toilet smells in rooms and enclosed spaces. Highly effective in hospitals, hotels, restaurants, sports centers, garbage collection areas, and other environments with heavy odors.

Dilution Ratio: 1/10 - 1/100

KZ- MN500

MINERAL SCALE AND RUST REMOVER

Description: Removes stubborn mineral deposits that other chemical products cannot. Effectively cleans scale formed in water accumulation areas. Ideal for BTB, mosaic, and similar surfaces. Requires rinsing.

Dilution Ratio: 1/5 - 1/10

KZ – OTM19

SCENTED FLOOR CLEANER FOR AUTOMATIC MACHINES

Description: A floor cleaning and maintenance product with controlled foaming, specifically developed for use in floor washing machines. Dries quickly, leaves a long-lasting fragrance, and is economical due to its high concentration.

Dilution Ratio: 1/60

ZEN - EXPREN

MULTI-PURPOSE DIRT AND STAIN REMOVER

Description: TA special multi-purpose cleaner for all wipeable surfaces.
Effortlessly removes grease and dirt. Effectively removes stains from leather and fabrics. Suitable for use in washing machines.

Dilution Ratio: 1/10 - 1/30

ZEN - PLS 20

CRYSTALLIZED FLOOR POLISH

Description: Provides effective and long-lasting results on polishable surfaces such as marble and natural stone.
Fills microscopic gaps, creating a smooth and shiny appearance.

Dilution Ratio: Direct use

ZEN - ZENFLOR

INSULATION AND SURFACE COATING PRODUCT

Description: A dual-component product with excellent adhesion to surfaces such as mosaic, marble, granite, natural stone, wood, and concrete.
Offers superior water resistance and high chemical and physical durability. Used both for waterproofing and decorative purposes.

Dilution Ratio: 1/1 mixture

ZEN - PLS30

POLYMER FLOOR POLISH

Description: Used for polishing hard surfaces such as marley, linoleum, mosaic, ceramic tiles, PVC, and vinyl.
Creates a hard, glossy layer that protects against external factors. Prevents slipperiness and ensures hygiene.

Dilution Ratio: Direct use

PERSONAL HYGIENE PRODUCTS

KZ- CT10

LIQUID HAND WASH

Description: Pearlescent, soft-scented, and highly foaming. Skin pH-friendly.
Contains moisturizers that provide softness to the skin. Hygienic and economical.

Dilution Ratio: Direct use

KZ- CT10 RK

COLORLESS, ODORLESS LIQUID HAND WASH

Description: Pearlescent, colorless, odorless, and highly foaming. Skin pH-friendly.
Contains moisturizers that provide softness to the skin. Hygienic and economical.

Dilution Ratio: Direct use

ZEN - HND20

ALCOHOL-BASED HAND HYGIENE PRODUCT

Description: Specially formulated HND20 provides strong hygiene without requiring rinsing.
Dries quickly and ensures effective sanitation by penetrating the skin due to its high alcohol content.

Dilution Ratio: Direct use

ZEN - FOAM12

CONCENTRATED LIQUID HAND FOAM

Description: Long-lasting fragrance with high foaming. Skin pH-friendly.
Ensures easy washing and rinsing with a special dispenser.
Contains moisturizers that provide softness to the skin. Leaves a rich foaming hand cream effect.

Dilution Ratio: 1/3 - 1/5

KZ - RB100

CONCENTRATED INDUSTRIAL SKIN CLEANER

Description: Developed for cleaning oily skin. Provides quick and effective cleaning.
Does not contain acids, ammonia, or free alkali; easily rinsable.
Biodegradable. Contains skin-protecting and moisturizing agents.

Dilution Ratio: 1/3 - 1/5

KZ - RB100 CREAM

INDUSTRIAL HAND CLEANING CREAM

Description: Developed for industrial workers to easily remove heavy grease, carbon, tar, paint, and ink stains.
Contains particulate fillers that provide deep cleaning without damaging the skin.
Effective on heavy grease and dirt.

Dilution Ratio: Direct use

ZEN - BY10

HIGH-ACTIVITY MANUAL DISHWASHING DETERGENT

Description: Used for manual dishwashing. Suitable for industrial use. Its powerful formula easily removes even the toughest grease and dirt from dishes. Produces abundant and long-lasting foam. Skin pH-friendly. Has a pleasant fragrance.

Dilution Range: 1/ 3 -5

KZ- T230

CONCENTRATED OVEN AND BURNT GREASE CLEANER

Description: Formulated to clean carbonized grease on kitchen equipment. Easily removes carbonized grease from ventilation systems, oven trays, and frying pans.

Dilution Range: 1/5 - 1/20

ZEN - BMD100

INDUSTRIAL DISHWASHER DETERGENT

Description: Used in industrial dishwashers with special dosing equipment for hard water. Its special formula quickly and easily removes tough stains such as grease, starch, and protein. Must be used with a dosing machine.

ZEN - BMD25

INDUSTRIAL DISHWASHER DETERGENT

Description: Used in industrial dishwashers with special dosing equipment for hard water. Its special formula quickly and easily removes tough stains such as grease, starch, and protein. Must be used with a dosing machine.

KAİ-GH 1010

ALCOHOL-BASED HYGIENIC SURFACE CLEANER

Description: Used for cleaning and sanitizing kitchen equipment and other hard surfaces. Ensures hygiene for delicate equipment such as chairs in service areas. Dries quickly on surfaces, leaves no residue, and does not require rinsing.

Dilution Range: Direct use

ZEN - BMP100

INDUSTRIAL DISHWASHER RINSE AID

Description: Developed for hard water. Its balanced pH ensures the removal of detergent residues. Thanks to its special formula, it allows delicate surfaces such as glass and porcelain to dry quickly and without stains. Must be used with a dosing machine.

ZEN - BMP25

INDUSTRIAL DISHWASHER RINSE AID

Description: Developed for moderately hard water. Its balanced pH ensures the removal of detergent residues. Thanks to its special formula, it allows delicate surfaces such as glass, porcelain, aluminum, and copper to dry quickly and without stains. Must be used with a dosing machine.

KAİ-GH 1013

HYGIENE PRODUCT BASED ON QAC FOR OUTDOOR APPLİCATİONS

Description: Safe to use on all surfaces. It is a general-purpose hygiene product based on quaternary ammonium. Recommended

Dilution Range: 1/50 - 1/200

KAİ – GH1001

CHLORINE-BASED LIQUID ALKALINE FOAMING HYGIENIC CLEANER

Description: Suitable for the daily cleaning of application areas where a combination of high-protein and oily contaminants, such as food processing plants, meat and poultry slaughterhouses, and the fish industry, is found. The dilution range and application concentrations are used at 2% and 10% concentrations, depending on the level of contamination.

KAİ – GH1010

ALCOHOL-BASED HYGIENIC SURFACE CLEANER

Description: KAI-GH1010 is used for cleaning and hygiene of equipment, tools, and other hard surfaces.

Dilution Range: Used directly for equipment hygiene, and diluted up to a 1/10 ratio for surface cleaning. No need to rinse the surface again.

KAİ – GH1005

ALKALINE ACIDIC CIP CLEANER

Description: KAI-GH1005 is a CIP (Clean-in-Place) system cleaner developed for cleaning the interior of production lines and tanks, especially in food production facilities like beverage production, to remove dirt and grease.

Dilution Range: 1.5-5% w/w (1.3-4% v/v by volume), used between 70-80°C.

KAİ – GH1013

QAC-BASED ENVIRONMENTAL AND SURFACE HYGİENE PRODUCT

Description: Used for environmental and surface hygiene in food establishments, factories, buses, and similar public spaces. Safe to use on all surfaces without causing damage.

Dilution Range: The dilution ratio is between 0.5% and 2%.

ZEN – BIO01

OIL REMOVERS AND GREASE TRAP WASTE CONVERTER MICROORGANISM

Description: Biologically degrades oils accumulated in drains, grease traps, and similar areas. It extends the cleaning time of grease traps by up to 4-5 times. Eliminates unpleasant odors by preventing the formation of anaerobic microorganisms.

Dilution Range: Used in grease traps and floor drains in the food industry and restaurants, wastewater lift stations, and similar facilities.

ZEN – BIO08

BIOLOGICAL WASTE DEGRADER AND ODOR ELIMINATOR

Description: Prevents the formation of anaerobic microorganisms, cuts odors emitted from sewage tanks, and removes deposits. Contains microorganisms that biologically convert organic waste that accumulates and solidifies in human waste tanks.

Dilution Range: 1-liter application dose per cubic meter (depending on the load) for rapidly septic toilets or frequently used restrooms.

ZEN-BIO 07

BIOLOGICAL ODOR NEUTRALIZER FOR BAD ODORS

Description: Eliminates odors released as part of the process in garbage collection, sorting, and processing facilities. Particularly neutralizes odors coming from channels contaminated with leachate from waste, lift stations, and connected structures.

Dilution Range: Used at dilution ratios of 1/50-1/200 in composting facilities, animal shelters, waste rooms, landfills, solid waste treatment plants, and garbage trucks.

QUALITY CERTIFICATES

CERTIFICATE

KAİZEN KİMYA SANAYİ VE TİCARET LİMİTED ŞİRKETİ

SARAY MAH. 30. SOK. NO:3A
KAHRAMANKAZAN / ANKARA / TÜRKİYE

Has been assessed and found to Comply with the Requirements of:
Denetlenmiş ve aşağıdaki standartlara gerekliliklerine uygunluğu gösterilmiştir:

ISO 9001:2015

The Quality Management System is applicable to:
Kalite Yönetim Sistemi:

PRODUCTION, SALES, MARKETING OF HOUSEHOLD AND INDUSTRIAL CLEANING, MAINTENANCE CHEMICALS AND SERVICES OF CLEANING

EVSEL VE ENDÜSTRİYEL TEMİZLİK, BAKIM KİMYASALLARININ ÜRETİMİ, SATIŞI, PAZARLAMASI VE TEMİZLİK HİZMETLERİ

Certificate Number: QMS-12038
Belge Numarası: QMS 12038

Initial Certification Date: 09.12.2020
İlk Belgelendirme Tarihi: 09.12.2020

Certification Period: 3 Years
Belgelendirme Periyodu: 3 Yıl

Certificate Validity Date: 08.12.2022
Belge Geçerlilik Tarihi: 08.12.2022

IAS ACCREDITED MSCB-135

IQR ULUSLARARASI BELGELENDİRME HİZMETLERİ LTD.ŞTİ.

CERTIFICATE

KAİZEN KİMYA SANAYİ VE TİCARET LİMİTED ŞİRKETİ

SARAY MAH. 30. SOK. NO:3A
KAHRAMANKAZAN / ANKARA / TÜRKİYE

Has been assessed and found to Comply with the Requirements of:
Denetlenmiş ve aşağıdaki standartlara gerekliliklerine uygunluğu gösterilmiştir:

ISO 10002:2018

The Customer Satisfaction and Complaints Management System is applicable to:
Müşteri Memnuniyeti ve Şikayet Yönetim Sistemi:

PRODUCTION, SALES, MARKETING OF HOUSEHOLD AND INDUSTRIAL CLEANING, MAINTENANCE CHEMICALS AND SERVICES OF CLEANING

EVSEL VE ENDÜSTRİYEL TEMİZLİK, BAKIM KİMYASALLARININ ÜRETİMİ, SATIŞI, PAZARLAMASI VE TEMİZLİK HİZMETLERİ

Certificate Number: ISO-04753
Belge Numarası: ISO-04753

Initial Certification Date: 09.12.2020
İlk Belgelendirme Tarihi: 09.12.2020

Certification Period: 3 Years
Belgelendirme Periyodu: 3 Yıl

Certificate Validity Date: 08.12.2022
Belge Geçerlilik Tarihi: 08.12.2023

IQR ULUSLARARASI BELGELENDİRME HİZMETLERİ LTD.ŞTİ.

CERTIFICATE

KAİZEN KİMYA SANAYİ VE TİCARET LİMİTED ŞİRKETİ

SARAY MAH. 30. SOK. NO:3A
KAHRAMANKAZAN / ANKARA / TÜRKİYE

Has been assessed and found to Comply with the Requirements of:
Denetlenmiş ve aşağıdaki standartlara gerekliliklere uygunluğu gösterilmiştir:

ISO 14001:2015

The Environmental Management System is applicable to:
Çevre Yönetim Sistemi:

PRODUCTION, SALES, MARKETING OF HOUSEHOLD AND INDUSTRIAL CLEANING, MAINTENANCE CHEMICALS AND SERVICES OF CLEANING

EVSEL VE ENDÜSTRİYEL TEMİZLİK, BAKIM KİMYASALLARININ ÜRETİMİ, SATIŞI, PAZARLAMASI VE TEMİZLİK HİZMETLERİ

Certificate Number: EMS-12038
Belge Numarası: EMS-12038

Initial Certification Date: 09.12.2020
İlk Belgelendirme Tarihi: 09.12.2020

Certification Period: 3 Years
Belgelendirme Periyodu: 3 Yıl

Certificate Validity Date: 08.12.2022
Belge Geçerlilik Tarihi: 08.12.2022

IAS ACCREDITED MSCB-135

IQR ULUSLARARASI BELGELENDİRME HİZMETLERİ LTD.ŞTİ.

CERTIFICATE

KAİZEN KİMYA SANAYİ VE TİCARET LİMİTED ŞİRKETİ

SARAY MAH. 30. SOK. NO:3A
KAHRAMANKAZAN / ANKARA / TÜRKİYE

Has been assessed and found to Comply with the Requirements of:
Denetlenmiş ve aşağıdaki standartlara gerekliliklerine uygunluğu gösterilmiştir:

ISO 45001:2018

The Occupational Health and Safety Management System is applicable to:
İş Sağlığı Ve Güvenliği Yönetim Sistemi:

PRODUCTION, SALES, MARKETING OF HOUSEHOLD AND INDUSTRIAL CLEANING, MAINTENANCE CHEMICALS AND SERVICES OF CLEANING

EVSEL VE ENDÜSTRİYEL TEMİZLİK, BAKIM KİMYASALLARININ ÜRETİMİ, SATIŞI, PAZARLAMASI VE TEMİZLİK HİZMETLERİ

Certificate Number: ISO-04754
Belge Numarası: ISO-04754

Initial Certification Date: 09.12.2020
İlk Belgelendirme Tarihi: 09.12.2020

Certification Period: 3 Years
Belgelendirme Periyodu: 3 Yıl

Certificate Validity Date: 08.12.2022
Belge Geçerlilik Tarihi: 08.12.2022

IQR ULUSLARARASI BELGELENDİRME HİZMETLERİ LTD.ŞTİ.

Kaizen
Chemical

Factory:
Saray Sanayi Bölgesi Saray Mah. 30. Sk. No:
3 / A Kahramankazan / ANKARA
Tel: +90 312 503 29 77
Gsm: +90 543 230 0600
E-posta: info@kaizenkimya.com
Web: www.kaizenkimya.com
kaizenchemical

İstanbul Office:
Yenişehir Mah. Arma Residence K2 No: 76
Kurtköy / Pendik / İSTANBUL